IOP Monitoring Plan For New FDEP EO of 29 Jan 2003 To

- Measure water budget for each detention area
- Measure concentrations of P and N entering and leaving detention areas
- Calculate loads of P and N entering and leaving through surface and ground water
- Measure and evaluate sources of pesticides and other pollutants to and from the detention areas



Monitoring Items Provided By

- Surface water flow- CORPS
- Surface water stage- CORPS
- Groundwater exchange- CORPS
- Meteorological and Evap.- USGS/SFWMD
- Surface water nutrients- CORPS/SFWMD
- Groundwater nutrients- CORPS
- Interior fish THg- CORPS under contract
- Biological and sediment monitoring- SFWMD



Corps IOP Emergency Operations C111 Water Quality Monitoring

- Corps monitoring WQ in the C-111 basin since the summer of 1999
- Multi purpose including compliance monitoring for the FDEP emergency orders.
- Plan was based on early proposal in C-111 GRR supplement
- Purpose to track system response to the construction changes and to better understand the loading sources, timing and characterization of any nutrient pulses.



Vicinity Map




Figure 1. Area Map of the Corps of Engineers Water Quality Monitoring Stations (11) for Emergency Operations for the Cape Sable Seaside Sparrow. North is to the top of the page. Base map © Garmin Corporation 1995-1999. Sources: Water and Air Research, Inc. 2001 and ANAMAR 2002.




Water Quality Monitoring Types

- Autosamplers at intakes to pump stations, S-332B,C and D plus various locations in the the l-31west canal. Also B-3 berm. Nutrients.
- Bi-Weekly grabs taken at all autosampler sites and at several canal locations.
- Ground water monitoring at S-332D
- Analysis to include metals, THg and pesticides on quarterly basis
- Http://hpm.saj.usace.Army.Mil/issueweb/sparrow/sparrow_page.htm



US Army Corps of Engineers
Jacksonville District



Autosampler Locations

S-332B(Upstream)

S-332B(Downstream)

S-332C(Upstream)

S-332C(Downstrm)

L-31W

S-332(upstream)

S-332D(upstream)

S-332DW(Dwnstrm)

3-3 Berm

US Army Corps of Engineers Jacksonville District




Figure 1. Station Locations for Cape Sable Seaside Sparrow Emergency Field Sampling Activities, Water Quality Monitoring Effort

Key Monitoring Events/Points

- S-332D pump startup monitoring, 1999
- S-332B detention system initial overflow into ENP Sept 2000.
- Extreme weather event in Oct 2000
- S-332B detention sys. Startup summer 2002
- Start up of S-332D detention system
- Autosampler results at the S-332D intake



US Army Corps of Engineers
Jacksonville District